


## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup>:</b> <b>H04Q 7/32</b>	<b>A2</b>	<b>(11) International Publication Number:</b> <b>WO 98/25424</b> <b>(43) International Publication Date:</b> 11 June 1998 (11.06.98)
<b>(21) International Application Number:</b> PCT/IB97/01433 <b>(22) International Filing Date:</b> 13 November 1997 (13.11.97) <b>(30) Priority Data:</b> 96402657.9 6 December 1996 (06.12.96) EP <b>(34) Countries for which the regional or international application was filed:</b> NL et al. <b>(71) Applicant:</b> PHILIPS ELECTRONICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL). <b>(71) Applicant (for SE only):</b> PHILIPS NORDEN AB [SE/SE]; Kottbygatan 7, Kista, S-164 85 Stockholm (SE). <b>(72) Inventors:</b> GRANDBERT, Anthony; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). ALIX, Phillipe; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). <b>(74) Agent:</b> SCHOONHEIJM, Harry, B.; Internationaal Octrooibureau B.V., P.O. Box 220, NL-5600 AE Eindhoven (NL).		<b>(81) Designated States:</b> JP, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). <b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i>
<b>(54) Title:</b> MOBILE TELEPHONE <b>(57) Abstract</b> <p>A mobile telephone comprises a housing which includes a battery compartment closable by a cover, for accommodating a battery connected to battery contacts of the telephone and further includes a SIMM card compartment closable by a cover for accommodating a SIMM card. The cover of the battery compartment and the cover of the SIMM card compartment are combined to a single combination cover.</p> 		

# **FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## Mobile telephone

**Description**

The invention relates to a mobile telephone with a housing that includes a battery compartment closable by a cover, for accommodating a battery connected to battery contacts of the telephone and further includes a SIMM card compartment closable by a cover  
5 for accommodating a SIMM card.

Telephones of the above type have increasingly been used, for example, as handsets for telephony via a cellular mobile telephone network such as the NMT or GSM network. It goes without saying that requirements to be made on such telephones are, for example, light weight, small size, low price and ease of handling.

10 The telephone is to comprise a rechargeable or not battery to provide the energy supply. Furthermore, a so-called SIMM card is to be present (SIMM = Single Inline Memory Module) on which the telephone subscriber's subscription data are stored, data about the telephone number of the respective telephone, etc. Both the battery and the SIMM card are to be exchangeable. Therefore, it is customary to accommodate both a battery and  
15 the SIMM card in the housing of the telephone in compartments meant for this purpose, a battery compartment and a SIMM card compartment, respectively. These compartments influence the dimensions of the telephone while the covers of the battery compartment and of the SIMM card compartment are separate removable parts enhancing the complexity of the telephone with, furthermore, the extra possibility of loss.

20 It is an object of the invention to provide a telephone of the type defined in the opening paragraph having a simple and light construction and is characterized in that the cover of the battery compartment and the cover of the SIMM card compartment are combined to a single combination cover. The application of a combination cover provides the advantage that in lieu of two separate covers, only a single cover is necessary. In addition,  
25 the battery compartment and the SIMM card compartment may be combined as desired, so that no partition wall is necessary between the two compartments, which leads to a simplification of the construction of the telephone and to less use of material.

Preferably, an embodiment of the invention is used which is characterized in that the battery can be attached to the combination cover and in that the contact of the

battery with the battery contacts of the telephone is broken when the combination cover with the battery attached is removed from the housing of the telephone. By applying this embodiment, the electrical connection between the battery and the further parts of the telephone is certainly broken when the combination cover is removed before access to the  
5 SIMM card is obtained. In many cases it is important that the telephone be currentless before the SIMM card is manipulated, so that any problems are avoided of undefined connection voltages in the system, which could lead to loss of information of the SIMM card.

A following embodiment which is important for small dimensions of the combination cover is characterized in that the combination cover is substantially T-shaped in  
10 elevation, the cross of the T covering the battery compartment and the leg of the T covering the SIMM card compartment.

These and other aspects of the invention will be apparent from and elucidated with reference to the embodiments described hereinafter.

15

In the drawings:

Fig. 1 shows a perspective view of the rear of a diagrammatically shown mobile telephone,

20 removed combination cover with battery and a removed SIMM card in exploded view,

Fig. 3 is a rear view similar to that of Fig. 1 of another embodiment of the invention, and

Fig. 4 is a view similar to that of Fig. 2 of the telephone shown in Fig. 3, but with the battery omitted.

25 The telephone 1 of Figs. 1 and 2 comprises an antenna 9 and a housing 2 which includes a battery compartment 4, closable by a cover 3, for accommodating a battery 5 connected to the battery contacts 6 of the telephone, and further comprising a SIMM card compartment 7 also closable by a cover 3, for accommodating the SIMM card 8. The cover of the battery compartment 4 and the cover of the SIMM card compartment 7 are combined  
30 to a single combination cover 3. As shown in Fig. 2, the battery 5 is attached to the combination cover in a manner not shown, but known per se. When the combination cover 3 with the battery 5 attached is removed from the housing 2 of the telephone 1, the contact of the battery with the battery contacts 6 of the telephone is broken. Once the combination cover with battery 5 is removed, the device has become currentless, so that the SIMM card 8

can be manipulated in the SIMM card compartment 7 without the risk of data loss as a result of still available undefined connection voltages.

The combination cover 3 is substantially T-shaped in elevation. The cross 3.1 of the T covers the battery compartment 4 and the leg 3.2 of the T covers the SIMM card compartment 7. In this manner, the surface of the combination cover 3 is not larger than strictly necessary.

The telephone 11 in the Figs. 3 and 4 shows great similarity to the telephone 1 of the Figs. 1 and 2. The telephone comprises an antenna 19 and again a housing 12, a battery compartment 14 closable by a cover 13, for accommodating a battery (not shown) connected to the battery contacts 16 of the telephone and further comprises a SIMM card compartment 17 also closable by a cover 13, for accommodating a SIMM card 18. The cover of the battery compartment 14 and the cover of the SIMM card compartment 17 are combined to a single combination cover 13. The battery (not shown in this case) may again be attached to the combination cover 13. When the combination cover 13 with the battery (not shown) attached is removed from the housing 12 of the telephone 11, the contact of the battery (not shown) with the available battery contacts 16 of the telephone is broken.

Also in this embodiment, the combination cover 13 is substantially T-shaped in elevation, the cross 13.1 of the T covering the battery compartment 14 and the leg 13.2 covering the SIMM card compartment 17.

The difference between the two embodiments shown in Figs. 1 and 2, and 3 and 4, respectively, mainly relates to the location of the combination cover 3, 13 respectively, on the telephone 1, 11 respectively. In the embodiment shown in Figs. 1 and 2, the combination cover 3 is located at a distance from the sides of the housing of the telephone 1, the combination cover 3 having a substantially flat form. With the telephone 11 shown in Figs. 3 and 4, the combination cover is located near to the edge of the housing 12 of the telephone, so that the cover 13 comprises not only a substantially flat T-shaped portion 13.1-13.2, but also raised edges 13.3-13.5.

Although the invention has been discussed with reference to two different embodiments, it should be recognized that the invention relates to any variant that is possible within the scope of the appended claims. For example, it is not necessary for the combination cover to be T-shaped. Furthermore, it is not necessary to attach the battery to the combination cover.

LIST OF REFERENCE NUMBERS

- 1 - telephone
- 5 2 - housing
- 3 - cover (combination cover)
- 4 - battery compartment
- 5 - battery
- 6 - battery contacts
- 10 7 - SIMM card compartment
- 8 - SIMM card
- 9 - antenna
- 10 -
- 11 - telephone
- 15 12 - housing
- 13 - combination cover
- 14 - battery compartment
- 15 -
- 16 - battery contacts
- 20 17 - SIMM card compartment
- 18 - SIMM card
- 19 - antenna

## Claims:

1. A mobile telephone (1; 11) with a housing (2;12) that includes a battery compartment (4;14) closable by a cover (3;13) for accommodating a battery (5) connected to battery contacts (6;16) of the telephone and further includes a SIMM card compartment (7;17) closable by a cover (3;13) for accommodating a SIMM card (8;18), characterized in  
5 that the cover of the battery compartment (4;14) and the cover of the SIMM card compartment (7;17) are combined to a single combination cover (3;13).
2. A mobile telephone 1 as claimed in claim 1, characterized in that the battery (5) can be attached to the combination cover (3;13) and in that the contact of the  
10 battery with the battery contacts (6;16) of the telephone is broken when the combination cover (3;13) with the battery attached is removed from the housing (2;12) of the telephone (1;11).
3. A mobile telephone 1 as claimed in claim 1, characterized in that the combination cover (3;13) is substantially T-shaped in elevation, the cross (3.1;13.1) of the T covering the battery compartment (4;14) and the leg (3.2;13.2) of the T covering the SIMM  
15 card compartment (7;17).

1/2




FIG. 1






FIG. 2



2/2



This Page Blank (uspto)




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup>:</b> <b>H04B 1/38, H04M 1/02</b>	<b>A3</b>	<b>(11) International Publication Number:</b> <b>WO 98/25424</b> <b>(43) International Publication Date:</b> 11 June 1998 (11.06.98)
<b>(21) International Application Number:</b> PCT/IB97/01433 <b>(22) International Filing Date:</b> 13 November 1997 (13.11.97) <b>(30) Priority Data:</b> 96402657.9      6 December 1996 (06.12.96)      EP <b>(34) Countries for which the regional or international application was filed:</b> NL et al. <b>(71) Applicant:</b> PHILIPS ELECTRONICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL). <b>(71) Applicant (for SE only):</b> PHILIPS NORDEN AB [SE/SE]; Kottbygatan 7, Kista, S-164 85 Stockholm (SE). <b>(72) Inventors:</b> GRANDBERT, Anthony; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). ALIX, Phillipe; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). <b>(74) Agent:</b> SCHOONHEIJM, Harry, B.; Internationaal Octrooibureau B.V., P.O. Box 220, NL-5600 AE Eindhoven (NL).		<b>(81) Designated States:</b> JP, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i> <b>(88) Date of publication of the international search report:</b> 16 July 1998 (16.07.98)

(54) Title: MOBILE TELEPHONE

## (57) Abstract

A mobile telephone comprises a housing which includes a battery compartment closable by a cover, for accommodating a battery connected to battery contacts of the telephone and further includes a SIMM card compartment closable by a cover for accommodating a SIMM card. The cover of the battery compartment and the cover of the SIMM card compartment are combined to a single combination cover.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## A. CLASSIFICATION OF SUBJECT MATTER

IPC6: H04B 1/38, H04M 1/02

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: H04B, H04M, H04Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WPI

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0691774 A1 (SIEMENS AKTIENGESellschaft), 10 January 1996 (10.01.96), column 1, line 31 - line 59, figure 1, abstract --	1-3
X	EP 0556970 A1 (NOKIA MOBILE PHONES LTD.), 25 August 1993 (25.08.93), column 3, line 23 - column 4, line 49, figure 1, abstract --	1-3
X	US 5257414 A (DAVID W. TRAHAN ET AL), 26 October 1993 (26.10.93), column 2, line 12 - column 3, line 66, figures 1-5, abstract --	1-3

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

\* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&amp;" document member of the same patent family

Date of the actual completion of the international search

27 May 1998

Date of mailing of the international search report

28-05-1998

Name and mailing address of the ISA/  
Swedish Patent Office  
Box 5055, S-102 42 STOCKHOLM  
Facsimile No. +46 8 666 02 86

Authorized officer  
Roland Landström  
Telephone No. +46 8 782 25 00

# INTERNATIONAL SEARCH REPORT

Information on patent family members

29/04/98

International application No.

PCT/IB 97/01433

Patent document cited in search report			Publication date	Patent family member(s)	Publication date
EP	0691774	A1	10/01/96	DE 9411103 U	03/08/95
EP	0556970	A1	25/08/93	SE 0556970 T3	
				DE 69314068 D,T	26/02/98
				FI 90298 B	30/09/93
				FI 920698 D,V	24/11/92
US	5257414	A	26/10/93	DE 4138342 A,C	27/05/92
				FR 2670926 A,B	26/06/92
				GB 2251505 A,B	08/07/92